

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to other real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I – WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump: Yes No N/A
Quantity: Yes No Unknown
Quality: Yes No Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
If Yes, Date of most recent test: N/A Are test results available? .. Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
If Yes, are test results available? Yes No
What steps were taken to remedy the problem? _____


IF PRIVATE:

INSTALLATION: Location: Front Yard beside the Yellow Shed
Installed by: Bruce Champney, Western Maine Water
Date of Installation: 2012

USE: Number of persons currently using system: 2
Does system supply water for more than one household? Yes No Unknown

Comments: 460 Foot Well Producing 17 Gallons/ minute.

Source of Section I information: Seller

Seller Initials 

Buyer Initials _____

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043

SECTION II – WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

IF PUBLIC OR QUASI-PUBLIC:

Have you had the sewer line inspected?..... Yes No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? Yes No

What steps were taken to remedy the problem? _____

IF PRIVATE:

Tank: Septic Tank Holding Tank Cesspool Other: _____

Tank Size: 500 Gallon 1000 Gallon Unknown Other: _____

Tank Type: Concrete Metal Unknown Other: _____

Location: **Right Hand Side beside the patio.** OR Unknown

Date installed: **2012** Date last pumped: **N/A** Name of pumping company: **N/A**

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem: **N/A**

Date of last servicing of tank: **N/A** Name of company servicing tank: **N/A**

Leach Field: Yes No Unknown

If Yes, Location: **Beside the Pool House**

Date of installation of leach field: **2012** Installed by: **Moody & Sons**

Date of last servicing of leach field: **N/A** Company servicing leach field: **N/A**

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem and what steps were taken to remedy: **N/A**

Do you have records of the design indicating the # of bedrooms the system was designed for? Yes No

If Yes, are they available? Yes No

Is System located in a Shoreland Zone? Yes No Unknown

Is System located in a Coastal Shoreland Zone?..... Yes No Unknown

Comments: **None**

Source of Section II information: **Seller**

Seller Initials  

Buyer Initials _____

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043

SECTION III – HEATING SYSTEM(S)/HEATING SOURCES(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S)	Viesmann Propane			
Age of system(s) or source(s)	2013			
Name of company that services system(s) or source(s)	Glen Boucher			
Date of most recent service call	20190321			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	1,282 Gallons (2018)			
Malfunction per system(s) or source(s) within past 2 years	N/A			
Other pertinent information	N/A			

- Are there fuel supply lines? Yes No Unknown
- Are any buried? Yes No Unknown
- Are all sleeved? Yes No Unknown
- Chimney(s): Yes No
- If Yes, are they lined: Yes No Unknown
- Is more than one heat source vented through one flue? Yes No Unknown
- Had a chimney fire: Yes No Unknown
- Has chimney been inspected? Yes No Unknown

 If Yes, when: N/A

 Date chimney last cleaned: N/A

Direct/Power Vent: Yes No Unknown

Comments: 500 Propane Tank Buried to the Left of the House. Champagne Energy provides fuel.

Source of Section III information: Seller

SECTION IV – HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? Yes No Unknown

If Yes, are tanks in current use? Yes No Unknown

If no longer in use, how long have they been out of service? N/A

If tanks are no longer in use, have tanks been abandoned according to DEP? Yes No Unknown

Are tanks registered with DEP? Yes No Unknown

Age of tank(s): N/A

Size of tank(s): N/A

Location: N/A

Seller Initials  

Buyer Initials _____

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043

What materials are, or were, stored in the tank(s)? N/A

Have you experienced any problems such as leakage: Yes No Unknown

Comments: None

Source of information: Seller

B. ASBESTOS — Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? Yes No Unknown

In the ceilings? Yes No Unknown

In the siding? Yes No Unknown

In the roofing shingles? Yes No Unknown

In flooring tiles? Yes No Unknown

Other: N/A Yes No Unknown

Comments: None

Source of information: Seller

C. RADON/AIR - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: N/A By: N/A

Results: N/A

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: House is prepared for radon mitigation system, but is not installed.

Source of information: Seller

D. RADON/WATER - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: N/A By: N/A

Results: N/A

If applicable, What remedial steps were taken? N/A

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: None

Source of information: Seller

Seller Initials  

Buyer Initials _____

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043

E. LEAD-BASED PAINT/PAINT HAZARDS — (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes No Unknown Unknown (but possible due to age)

If Yes, describe location and basis for determination: N/A

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: Yes No

If Yes, describe: N/A

Are you aware of any cracking, peeling or flaking paint? Yes No

Comments: None

Source of information: Seller

F. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown

LAND FILL: Yes No Unknown

RADIOACTIVE MATERIAL: Yes No Unknown

Other: None

Source of information: Seller

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V — GENERAL INFORMATION

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, private road/homeowner associations (including condominiums and PUD's) or restrictive covenants? Yes No Unknown

If Yes, explain: Right of Way

Source of information: Seller

Answer only one of the following sets of questions depending on the type of property:

If the subject property consists of at least one, but not more than four, residential dwelling units:

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? Yes No Unknown

If No, who is responsible for maintenance? Seller

For all other properties:

Are there any abandoned or discontinued town ways, any public easements or any private roads located on the property or abutting the property? Yes No Unknown

If Yes, describe: N/A

If Yes, who is responsible for maintenance (including road association, if any): N/A

Seller Initials  

Buyer Initials _____

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... Yes No Unknown

If Yes, explain: **Homestead Exemption**

Is a Forest Management and Harvest Plan available?..... Yes No Unknown
Is house now covered by flood insurance policy (not a determination of flood zone) Yes No Unknown
Equipment leased or not owned (e.g., propane tank, hot water heater, satellite dish): Type: **Propane Tank**

Year Principal Structure Built: 2012

What year did Seller acquire property? 2012

Roof: Year Shingles/Other Installed: 2012

Water, moisture or leakage: **None**

Comments: **None**

Foundation/Basement:

Is there a Sump Pump? Yes No Unknown

Water, moisture or leakage since you owned the property: Yes No Unknown

Prior water, moisture or leakage? Yes No Unknown

Comments: **Commercial Grade Aprilaire dehumidifier**

Mold: Has the property ever been tested for mold? Yes No Unknown

If Yes, are test results available? Yes No

Electrical: Fuses Circuit Breaker Other: _____ Unknown

Has all or a portion of the property been surveyed? Yes No Unknown

If Yes, is the survey available? Yes No Unknown

Manufactured Housing – Is the residence a:

Mobile Home Yes No Unknown

Modular Yes No Unknown

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **None**

Source of Section V information: **Seller**

Seller Initials  

Buyer Initials _____

PROPERTY LOCATED AT: 6 Squirrel Lane, Kennebunk, ME 04043


SECTION VI – ADDITIONAL INFORMATION

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No


Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:

8525FD875D5647D...
SELLER
John M. Lescure

3/21/2019 | 5:43
DATE

DocuSigned by:

DC355BE3AD9F4CE...
SELLER
Isabel F. Lescure

3/21/2019 | 3:40 P
DATE

SELLER

DATE

SELLER

DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

DATE

BUYER

DATE

BUYER

DATE

BUYER

DATE